

Parental Controls and Guest Network optimize network environment while

• Easy Setup Assistant provides quick &

ensuring network safety.

hassle free installation.

AR-W200

300Mbps Wireless N Router




Description


AR-W200 300Mbps Wireless N Router is an all-in-one router, ideal for home and SOHO users to share broadband Internet connection over the wired and wireless network. With wireless speeds of up to 300Mbps, it can provide users with extraordinary smooth internet surfing,

internet phone calling, and on-line gaming. Moreover, by adopting an external Omni-directional antenna, AR-W200 could greatly increases the wireless range & sensitivity, which enables you to receive wireless signals at the farthest corner of your home or office.

Users may conveniently setup a secure wireless connection with one-touch WPS button on the fashionable designed router. The router also supports with various advanced features like QoS, Parental Controls, Guest Network and

IPv6, these features help you optimize your network environment while ensuring your network safety, allowing you to enjoy safe, smooth and stable experience on all your devices.





Specifications

General	
Wireless Standards	IEEE802.11b/g/n,2.4GHz
Signal Rate	2.4GHz:Up to 300Mbps
Operation Frequency	2.4GHz
Receive Sensitivity	2.4GHz 11g 54M: -77dBm 11n HT20: -74dBm, 11n HT40: -72dBm
Wireless Security	WPA / WPA2, WPA-PSK/ WPA2-PSK encryption
Hardware	
Flash/DDR	8MB/64MB
Interfaces	1 x 10/100Mbps WAN Port 4 x 10/100Mbps LAN Port
Buttons	Power ON/OFF Button, WPS/WiFi Button, Reset Button
Power Supply	DC 12V 0.5A
Antenna	2 x 5dBi external antennas
Dimensions (W X D X H)	150mm x 104 mm x 30mm

Software Features	
WAN Type	Dynamic IP/Static IP/PPPoE
DHCP	Server, Client, DHCP Client List, Address Reservation
Quality of Service	Download / Upload Speed control
Port Forwarding	Virtual Server, Port Triggering, DMZ
VPN Pass-Through	PPTP, L2TP
Access Control	Parental Control, Local Management Control, Host List, Access Schedule, Rule Management
Firewall Security	DoS, SPI Firewall IP Address Filter/MAC Address Filter/Domain Filter IP and MAC Address Binding
Management	Access Control, Local Management, Remote Management
Internet Protocol	IPv4, IPv6
Environment	
Operating Temperature	0°C~40°C (32°F~104°F)
Storage Temperature	-40°C~70°C (-40°F~158°F)
Relative Humidity	10%~90%, non-condensing
Storage Humidity	5%~95%, non-condensing
Package Contents	
Package Contents	1 x Wireless Router 1 x Power Adapter 1 x Ethernet Cable 1 x QIG

www.airpho.com