



AIRPHO



Features

- Supports superfast wireless speeds of up to 1200Mbps with the next-generation AC Wi-Fi connection.
- Supports 2.4GHz and 5GHz bands simultaneously, providing fast and stable connections for more devices.
- 4 x 5dBi External antennas provide maximum Omni-directional wireless coverage and reliability.
- Advanced features such as QoS, Parental Controls and Guest Network optimize network environment while ensuring network safety.

AR-W400

AC1200 Dual Band
Wireless Router




Description

The AR-W400 comes with the next generation of Wi-Fi.- 802.11ac, providing superfast wireless speeds of up to 1200Mbps at selectable 2.4GHz and 5GHz dual bands. Unlike standard wireless router, it can process multiple wired or wireless tasks simultaneously with its dual core processor, significantly improving your overall network performance.

Its four Omni-directional external antennas extend range for optimal signal transmission, enhancing the coverage and reliability of your wireless network. In another word, the AR-W400 is an ideal choice for users in search of lag-free HD video streaming or online gaming experience. The router

supports with various advanced features like QoS, Parental Controls, Guest Network and IPv6, these features help you optimize your network environment while ensuring your network safety, allowing you to enjoy safe, smooth and stable experience on all your devices.



Specifications

General	
Wireless Standards	IEEE802.11a/n/ac,5GHz, IEEE802.11b/g/n,2.4GHz
Signal Rate	5GHz:Up to 867Mbps, 2.4GHz:Up to 300Mbps
Operation Frequency	2.4GHz and 5GHz
Receive Sensitivity	5GHz 11a 6Mbps: -96dBm, 11a 54Mbps: -79dBm 11ac HT20: -71dBm, 11ac HT40: -66dBm, 11ac HT80: -63dBm, 11n HT20: -72dBm, 11n HT40: -71dBm 2.4GHz 11g 54M: -77dBm 11n HT20: -74dBm, 11n HT40: -72dBm
Wireless Security	WPA / WPA2, WPA-PSK/ WPA2-PSK encryption
Hardware	
Flash/DDR	16MB/64MB
Interfaces	1 x 10/100Mbps WAN Port 2 x 10/100Mbps LAN Port
Buttons	Power ON/OFF Button, WPS/WiFi Button, Reset Button
Power Supply	DC 12V1.0A
Antenna	4 x 5dBi external antennas
Dimensions (W X D X H)	180mm x 145mm x 29mm

Software Features		
WAN Type	Dynamic IP/Static IP/PPPoE	
DHCP	Server, Client, DHCP Client List, Address Reservation	
Quality of Service	Download / Upload Speed control	
Port Forwarding	Virtual Server, Port Triggering, DMZ	
VPN Pass-Through	PPTP, L2TP	
Access Control	Parental Control, Local Management Control, Host List, Access Schedule, Rule Management	
Firewall Security	DoS, SPI Firewall IP Address Filter/MAC Address Filter/Domain Filter IP and MAC Address Binding	
Management	Access Control, Local Management, Remote Management	
Internet Protocol	IPv4, IPv6	
Environment		
Operating Temperature	0°C~40°C (32°F~104°F)	
Storage Temperature	-40°C~70°C (-40°F~158°F)	
Relative Humidity	10%~90%, non-condensing	
Storage Humidity	5%~95%, non-condensing	
Package Contents		
Package Contents	1 x Wireless Router 1 x Ethernet Cable	1 x Power Adapter 1 x QIG