

Description

AR-W210 N300 Wireless Router is an all-in-one router, ideal for home and SOHO users to share broadband Internet connection over the wired and wireless network.




300Mbps Wireless for Home Entertainment

Supports wireless N speed up to 300Mbps, ideal for various home entertainment such as Internet surfing, HD video streaming and online gaming.

5dBi External Dual Band Antennas

2*5dBi external dual band antennas provide maximum Omni-directional wireless coverage and reliability.



Easy Setup and Device Management

Easy Setup Assistant provides quick & hassle-free installation and convenient device management with user-friendly UI.



Enables you to schedule your router to turn on/off the Wi-Fi function at a certain time.

QoS

Priorltizes network traffic by assigning bandwidth classes, ensuring reliability of essential services, and effectively avoiding network congestion.



Allows you to manage network usage and access for everyone on your account, protecting your children from inappropriate online activities.

-	AR-W210	And a state of the	
O Advanced Settings			
States	Status		
Referance			
Witness	(internet	· Wireless	
Betwork Control			
RAT for warding	MAC 4459991 30-00-00-00-00	Meterosi Marcel/MDD	488940_123
Get	PADDeux, DEOD	Westerik Pasto	CNI .
ONCP Reservation	Thubeut Atasis; 0.0.0.0		8 (2.17) (29) milek
System Tools	Default Calibration 010.0	Charpet Biddle	N.C.
	Internation (Childhow of B-0.0)	Charge!	Autoritherweit Eduarceii 90
	Thermodyne (print) II II II II II	MAC 530 (11)	39-00-00-00-00-00
	Considius Type: 0.200		DUADed
	LAN LAN		
1.000		Twelves Clear	
	MAC ABBYER 30-00-00-00	-	
	R: 6891011 792 310 12		
	(Support Masch) 255,255 B.O.		An ann a' fair an a'
	Dick. Di		

A Cost-Effective Version of AR-W200, perfect for small families.

	Wireless Speed	Operation Frequency	Antennas	Interface	Software Features	Price
AR-W210	300Mbps	2.4GHz	2 x 5dBi external	1 x 10/100Mbps WAN Port 2 x 10/100Mbps LAN Port	QoS, Parental Control, Guest Network	5
AR-W200	300Mbps	2.4GHz	2 x 5dBi external	1 x 10/100Mbps WAN Port 4x 10/100Mbps LAN Port	QoS, Parental Control, Guest Network, IPv6	5 5



Specifications

General			
Wireless Standards	IEEE802.11b/g/n,2.4GHz		
Signal Rate	2.4GHz:Up to 300Mbps		
Operation Frequency	2.4GHz		
Receive Sensitivity	2.4GHz 11g 54M: -77dBm 11n HT20: -74dBm, 11n HT40: -72dBm		
Wireless Security	WEP, WPA / WPA2, WPA-PSK/ WPA2-PSK encryption		
Hardware			
Interfaces	1 x 10/100Mbps WAN Port		
	2 x 10/100Mbps LAN Port		
Button	Power ON/OFF Button, Reset Button		
Power Supply	DC 5V 1A		
Antenna	2 x 5dBi external antennas		
Dimensions (W X D X H)	150mm x 104 mm x 30mm		
Software Features			
WAN Type	Dynamic IP/Static IP/PPPoE		
DHCP	Server, Client, DHCP Client List, Address Reservation		
Quality of Service	Download / Upload Speed control		
Port Forwarding	Virtual Server, Port Triggering, DMZ		
Access Control	Parental Control, Local Management Control, Host List, Rule Management		

Security	IP Address Filter/MAC Address Filter/Domain Filter		
	IP and MAC Address Binding		
Management	Access Control		
	Local Management		
	Remote Management		
Internet Protocol	IPv4		
Environment			
Operating Temperature	0°C~40°C (32°F~104°F)		
Storage Temperature	-40°C~70°C (-40°F~158°F)		
Relative Humidity	10%~90%, non-condensing		
Storage Humidity	5%~95%, non-condensing		
Package Contents			
	1 x Wireless Router		
Package Contents	1 x Power Adapter		
	1 x QIG		

AIRPHO TECHNOLOGY CO.,LTD

www.airpho.com

Specifications are subject to change without notice. Airpho is a registered trademark of Airpho Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2018 Airpho Corporation. All rights reserved.